

Fig. 1




Fig. 1b




Fig. 2




Fig. 3




Fig. 4




Fig. 5

NC28246A
7822

20, 20a, 20b,...

terminal	
10xxx	
A: 15.15.15	
GAS: 10.10.10	
SS: 12.12.12	
ISP: 11.11.11	

- (1) his is hard coded
- (2)
- (3)

IP (1)
Address of
terminal

(Proxy
server)

22

AccessPoint of
Access Provider

DHCP server
15.15.15

24

ISP

A:11.11.11

26

28

MDA Services

SS

12.12.12

11.11.11

User profile

(3)
Profile synchronization
Proxy information
address of ISP

xxx-> .12.12.12

A:10.10.10

34

Fig. 6




Figure 7

NC/846/1
8822




Figure 8

INC 28246A
9822




Figure 9

NC 87467
10 g 22

11/822,467




Figure 10.




Figure 11

NC 87467
13 822




Figure 12




Figure 13

NC28246A
14 of 22




Figure 14 a (the scheme continues in 14 b and 14 c)




Figure 14 b (the scheme continues in 14 c)

NC282464
16 822




Figure 14 c

NC28246A
18 of 22




Figure 15

NC28246A
19 of 22




Figure 16




Fig. 17

NC28246A
20 & 22




Fig. 18

NC 282464
21822




Fig. 19